

Package leaflet: Information for the patient

## **WINSTROL AQUA® 75 mg/ml solution for injection**

Read all of this leaflet carefully before you start taking this medicine because it contains important information for you.

- Keep this leaflet. You may need to read it again.
- If you have further questions, ask your doctor or your pharmacist.
- This medicine has been prescribed for you only. Do not pass it onto others. It may harm them, even if their signs of illness are the same as yours.
- If you get any side effects, talk to your doctor or pharmacist. This includes any possible side effects not listed in this leaflet.

*What is in this leaflet*

- 1. What Winstrol Aqua is and what it is used for*
- 2. What you need to know before you take Winstrol Aqua*
- 3. How to take Winstrol Aqua*
- 4. Possible side effects*
- 5. How to store Winstrol Aqua*
- 6. Other information*

### **1. WHAT WINSTROL AQUA IS AND WHAT IT IS USED FOR**

Each milliliter of the aqua solution contains the following: Active substance: 75 mg Stanozolol. The other ingredients are: The water-based solution for injection contains myristyl-y-picolinium chloride, macrogol 400, sodium chloride, water for injections.

#### **Form of the drug:**

Suspension for injection

#### **Pharmacological properties:**

Winstrol Aqua is an anabolic steroid. It stimulates the anabolic processes and inhibits the catabolic ones, which is caused by glucocorticoids. That brings to an increase of the muscle mass, it postpones the fat distribution, it improves the connective tissue. The androgenic effect (a moderate one) can contribute to the development of the male secondary sexual characteristics.

### **2. WHAT YOU NEED TO KNOW BEFORE YOU TAKE WINSTROL AQUA**

#### **Indications:**

Protein synthesis disorder, Traumas , Burns, Postoperative Infections, kidney failure, Osteoporosis, Corticosteroid therapy, Aplastic anemia, Negative nitrogen balance Treatment of tuberculosis, Treatment of hepatitis, Treatment of asthma, Treatment of Osteomielite

### **3. HOW TO TAKE WINSTROL AQUA**

#### **Dosage and How to Take It:**

This medicine is given intramuscularly as directed by your pharmacist. It should not be administered intravenously. Intramuscular injections should be given deep in the gluteal muscle. The dose depends from the patients, the disease state, sex, Clinical effectiveness.

Middle dose for men: 50-100 mg for a day; women 25-50 mg for a week. .

When we want to decrease the frequency of the angioedema attacks we should take the dose individually.

IT SHOULD NOT BE GIVEN  
INTRAVENOUSLY!

### **4. POSSIBLE SIDE EFFECTS**

#### **Side effects:**

Women: virilizing symptoms, change in the menstrual period, inhibition of ovarian function  
Hypercalcemia

Men: before puberty - virilizing symptoms , Pigmentation of the skin, after puberty inflammation of the bladder , Priapizym, adults - prostate cancer, Hypertrophy  
Men and women: atherosclerosis , bleeding, Jaundice disease, Bone pain

Patients should be instructed to report any of the following:

nausea, vomiting, changes in skin color, ankle swelling, too frequent or persistent erections of the penis.

#### **Contraindications:**

Oversensitivity to the drug, prostate cancer, breast cancer, atherosclerosis, kidney failure, pregnancy, Breastfeeding

#### **Overdose:**

In the event of an overdose, medical advice should be sought

Interactions with other medicines:  
Increases the action of  
Anticoagulants, Antiplatelet agents, increases the side effects of the drugs.

### **5. HOW TO STORE WINSTROL AQUA**

It should be stored in a dry place away from heat and humidity. 15° to 25° C (59° to 77° F)  
Keep Winstrol Aqua out of the reach of children and away from pets. Do not refrigerate or freeze  
Store in the original package in order to protect from light  
Do not throw away any medicines via wastewater or household waste. Ask your Pharmacist how to throw away medicines you no longer use. These measures will help to protect the environment.

### **6. OTHER INFORMATION**

**Expiration date:**

3 years. Do not use after expiry date.

**Terms of Use:**

By doctor's prescription

**MARKETING AUTHORISATION  
HOLDER MANUFACTURER:**

Canadian Pharmaceuticals  
32 Tower Ave  
Steinbach, MB R5G 0B8  
Canada

*This leaflet was updated in July  
2009*